



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

SMALLPOX IN THE UNITED STATES—Continued.

Reports Received during Week ended May 3, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
North Carolina—Continued.				
Counties—Continued.				
Iredell.....	Mar. 1-31.....	1		
Lee.....	do.....	5		
Lincoln.....	do.....	6		
Macon.....	do.....	2		
Madison.....	do.....	8		
Mecklenburg.....	do.....	7		
Pender.....	do.....	7		
Robeson.....	do.....	5		
Surry.....	do.....	1		
Swain.....	do.....	1		
Union.....	do.....	20		
Vance.....	do.....	32		
Wake.....	do.....	5		
Warren.....	do.....	3		
Wayne.....	do.....	3		
Total for State.....		280		
*Tennessee:				
Knoxville.....	Apr. 14-20.....	2		
Texas:				
Counties—				
Cherokee.....	Feb. 1-29.....	1		
Nueces.....	do.....	1		
Reeves.....	do.....	1		
Tarrant.....	do.....	36	9	
Uvalde.....	do.....	4	2	
Waco.....	do.....	1		
Total for State.....		44	11	
Grand total for the United States.....		1,145	14	

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLE, CITIES OF THE UNITED STATES, FOR WEEK ENDED APR. 13, 1912.

Cities.	Population United States Census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having over 500,000 in- habitants.</i>														
Baltimore, Md.	558,485	245	12	8	11						54	32	6	4
Boston, Mass.	670,585	242	26	3	160	4	27	1			113	24	1	1
Chicago, Ill.	2,185,283	681	116	16	194	3	222	8	3		158	92	11	3
Cleveland, Ohio.	560,663	193	17	2	130	1	36	3	1		22	28	4	
New York, N. Y.	4,766,883	311	27	1,785	40		460	24			488	181	35	6
Philadelphia, Pa.	1,549,008	494	66	6	17		72	4			90	70	8	
Pittsburgh, Pa.	533,905	213	10	3	64	3	12	2			41	13	5	2
St. Louis, Mo.	687,029	206	23		61		19	2			43	23	4	
<i>Cities having from 500,000 to 500,000 inhabitants.</i>														
Buffalo, N. Y.	423,715	162	10	1	55		15				20	11	2	1
Cincinnati, Ohio.	364,463	149	8	1	15		24		1		45	25	2	
Detroit, Mich.	465,766	213	9				45	2						
Los Angeles, Cal.	319,198	118	10	1	12		3		1		14	25	4	2
Milwaukee, Wis.	373,857	140	11	1	117	3	23	1			19	11	5	2
Newark, N. J.	347,469	117	20	4	123	2	14		2		35	17	2	
New Orleans, La.	339,075	40	7	1	4		4		12		48	29	4	1
Washington, D. C.	331,069	140	5		41		1		1		24	18	5	2

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Apr. 13, 1912—Continued.

Cities.	Population United States Census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 200,000 to 300,000 inhabitants.														
Denver, Colo.	213,381	52	6				7		2			16		
Jersey City, N. J.	267,779					1						11		
Kansas City, Mo.	248,381	60	6		8		7	1			2	5		
Providence, R. I.	224,326	84	14	2	31	6	12				5	5	1	
Seattle, Wash.	237,194	53			12		2				11	9	1	
Cities having from 100,000 to 200,000 inhabitants.														
Bridgeport, Conn.	102,054	25	2		1		4				2	4		
Cambridge, Mass.	104,839	31	5	1	149	1	4				9	5	1	
Columbus, Ohio.	181,548	64	3		34		12				14	8	3	1
Dayton, Ohio.	116,577	35			22		3		15			2		
Fall River, Mass.	119,295	39	4				1				6	3	1	
Grand Rapids, Mich.	112,571	51	1		2		5				2	3	2	3
Lowell, Mass.	106,294	32	6		25		6				3	5		
Nashville, Tenn.	110,364	49	1		3		3				1	5	2	
Oakland, Cal.	150,174	44	5		2		5				6	8		1
Omaha, Nebr.	124,096	34	2				1				5	5		
Spokane, Wash.	104,402		2		63		5		5			3	1	
Toledo, Ohio.	168,497	72	2		24		11				10	3	3	
Worcester, Mass.	145,986	51	2		11		4				3	3	1	
Cities having from 50,000 to 100,000 inhabitants.														
Altoona, Pa.	52,127	21	7	2			1							
Brockton, Mass.	56,878	15	3		65	1	6	1			3	1		
Camden, N. J.	94,538		2				3				6		1	
Duluth, Minn.	78,466	21	1				5				4	3		
Erie, Pa.	66,525	30	3	1	4		6	1						
Evansville, Ind.	69,647	12	1								2	1	4	1
Fort Wayne, Ind.	63,933	21	1		14		2					1		
Harrisburg, Pa.	64,186	19	4		142				7		5	1		
Hartford, Conn.	98,915	37	9	1	15		10	1			7	2		
Hoboken, N. J.	70,324		4				2				8			
Johnstown, Pa.	55,482	14	1		2						2			
Kansas City, Kans.	82,331		1		2		1					2		
Lawrence, Mass.	85,892	24	4	1	6		2				2	3		1
Lynn, Mass.	89,336	29	4		10		5				4	2	1	
Manchester, N. H.	70,063	33	1		4		1				2	2	1	1
New Bedford, Mass.	96,652	38	2	1	22		5				8	6	4	
Oklahoma City, Okla.	64,205	16										4	1	
Passaic, N. J.	54,773	24	2	1	37		2				3	2		
Reading, Pa.	96,071	41		2	1		2				3	2		
Saganaw, Mich.	50,510	21	3								2	2	6	
San Antonio, Tex.	96,614	64	1		5		3		2		10	7		
Schenectady, N. Y.	72,826	26	1		45	1	3				1	5		
South Bend, Ind.	53,684	14			1		2		4		1	2	1	
Springfield, Ill.	51,678	16										2		
Springfield, Mass.	88,926	24	3	1	19		2				2	2	1	
Trenton, N. J.	96,815	38	3				1				9	4	1	
Wilkes-Barre, Pa.	67,105	26	2	1	2		2	1			9		1	
Wilmington, Del.	87,411	23										4		
Yonkers, N. Y.	79,803	28	6	1	11		4				1	4		
Cities having from 25,000 to 50,000 inhabitants.														
Atlantic City, N. J.	46,150		2		1		1				1		1	
Auburn, N. Y.	34,668										1			
Aurora, Ill.	29,807	8					1							
Berkeley, Cal.	40,434	10	1		57			1	1	1			1	
Binghamton, N. Y.	48,443	27	2	1	7	2	1				2	1		1
Brookline, Mass.	27,792	7			3									
Chattanooga, Tenn.	44,604						1		3		2			
Chelsea, Mass.	32,452	11			20						2			
Chicopee, Mass.	25,401	7	1		3	1	1					1		

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Apr. 13, 1912—Continued.

Cities.	Population United States Census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Contd.														
Danville, Ill.	27,871	12					1					1		
Dubuque, Iowa	38,494	11												
East Orange, N. J.	34,371	4	2		6						1			
Elmira, N. Y.	37,176	15	5	1	2						1	1	3	
Everett, Mass.	33,484	7			10						1	1		
Fitchburg, Mass.	37,826	6	2								1		1	
Haverhill, Mass.	44,115	15			16		7				1	1	1	
Kalamazoo, Mich.	39,437	15					5	1	8		2	1		
Knoxville, Tenn.	36,346	15			9				4		3			
Lancaster, Pa.	47,227		2		187						1			
Lexington, Ky.	35,099	21	3		1						3	2	1	1
Lima, Ohio	30,508	7	5	1	1									
Lynchburg, Va.	29,494	12	1		28						4	1	1	
Malden, Mass.	44,404	11	1		14		2	1			1			
Montgomery, Ala.	38,136	20			7							3		
Newcastle, Pa.	36,280		4		1								1	
Newport, Ky.	30,309	9					7				3	3	1	1
Newton, Mass.	39,806	8			36		3	1				1		
Niagara Falls, N. Y.	30,445	13			1						2	2		
Norristown, Pa.	27,875	10	6		4		2				1	1		
Orange, N. J.	29,630	11			3		1				2	1		
Pasadena, Cal.	30,291	14										3		
Pittsfield, Mass.	32,121	13	5		1						1	2	2	
Portsmouth, Va.	33,190	7							1					
Racine, Wis.	38,002	7	2				3		2					
Roanoke, Va.	34,874	11			16		1				4	1		
Rockford, Ill.	45,401	12	4				5					1	13	1
Salem, Mass.	43,697	4			1		1		23					
San Diego, Cal.	39,578	5							2		4	4		
South Omaha, Nebr.	26,259	6												
Superior, Wis.	40,384	13	1									1		
Taunton, Mass.	34,259	15					1					1		
Waltham, Mass.	27,834	10			33	1	1							
West Hoboken, N. J.	35,403		3		1									
Williamsport, Pa.	31,860	10			24						1			
Wilmington, N. C.	25,748	11			15				7		1	1	1	1
York, Pa.	44,750		3				2				6		1	
Zanesville, Ohio.	28,026	10									2		2	
Cities having less than 25,000 inhabitants.														
Alameda, Cal.	23,833	4			4									
Ann Arbor, Mich.	14,817	11			1		1							
Beaver Falls, Pa.	12,191		2				3						2	
Braddock, Pa.	17,759	8												
Cambridge, Ohio.	11,327	2			1						1			
Camden, S. C.					2									
Carbondale, Pa.	17,040	7			5		6							
Clinton, Mass.	13,075	3									1			
Columbus, Ga.	20,554	4												
Columbus, Ind.		2			1				4					
Concord, N. H.	21,497	6			13									
Cumberland, Md.	21,839	4			27								1	
Dunkirk, N. Y.		4												
Galesburg, Ill.	20,089	6									1	1		
Gloucester, Mass.	24,398	8										1		
Harrison, N. J.	14,498	4	1		1		1							
Homestead, Pa.	18,710	6	2											
Kearny, N. J.	18,659	10	1		21		1				1			
La Crosse, Wis.		11	4				2							
La Fayette, Ind.	20,081	8			2							2		
Lebanon, Pa.	19,240		2								14			
Marinette, Mich.	14,610	3											1	
Marlboro, Mass.	14,577	6												
Massillon, Ohio.		6												
Medford, Mass.	23,156	10	1		51		1					2		
Melrose, Mass.	15,715	2			12						1		1	
Moline, Ill.	24,199	10					2					1		

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table, cities of the United States, for week ended Apr. 13, 1912—Continued.

Cities.	Population United States Census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Small- pox.		Tuber- culosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
<i>Cities having less than 25,000 inhabitants—Continued.</i>														
Montclair, N. J.	21,150	4	2		7						4			
Morristown, N. J.	12,507	4			9						1	2		
Nanticoke, Pa.	18,509	5												
Newburyport, Mass.	19,240	7									1	2		
North Adams, Mass.	22,012	8			3						1			
Northampton, Mass.	19,431	7	1		6								1	
Ottumwa, Iowa.	22,012	1												
Palmer, Mass.		4												
Plainfield, N. J.	22,050	7			25		2				2	1		
Pottstown, Pa.		6					1				1	3	1	
Saratoga Springs, N. Y.		7												
South Bethlehem, Pa.	19,973	10	2	2	7									
Steelton, Pa.	14,246	5	7		2						1			
Warren, Ohio.	11,081						2							
Wilksburg, Pa.	18,294	7									1			
Woburn, Mass.	15,308	3	2		9						3			

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

FLORIDA.—Week ended April 13, 1912. Reports from the State board of health show diphtheria present in 3 localities with 6 cases, malaria in 2 localities with 15 cases, tuberculosis in 7 localities with 14 cases, typhoid fever in 1 locality (Tampa) with 1 case.

INDIANA.—Month of February, 1912. Population, 2,700,876. Total number of deaths from all causes, 2,985, including diphtheria 29, measles 3, scarlet fever 14, tuberculosis 363, typhoid fever 41. Cases reported: Diphtheria 194 in 37 counties, scarlet fever 401 in 58 counties, smallpox 181 in 20 counties, typhoid fever 264 in 28 counties.

OKLAHOMA.—Month of February, 1912. Population, 1,657,155. Total number of deaths from all causes, 1,010, including diphtheria 12, scarlet fever 6, tuberculosis 78, typhoid fever 11. Cases reported: Diphtheria 93, scarlet fever 116, smallpox 64, tuberculosis 101, typhoid fever 50.

TEXAS.—Month of January, 1912. Population, 3,896,542. Total number of deaths from all causes, 3,295, including diphtheria 41, measles 3, scarlet fever 10, smallpox 4, tuberculosis 303, typhoid fever 43. Cases reported: Diphtheria 84, scarlet fever 235, smallpox 94, tuberculosis 46, typhoid fever 33.